Brain Research, 624 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Abumrad, N.N., see Lang, C.H. (624) 53
Agid, Y., see Herrero, M.T. (624) 281
Alberi, S., Dubois-Dauphin, M., Dreifuss, J.J. and Raggenbass, M.
Modulation by divalent cations of the current generated by vasopressin in facial motoneurons (624) 326
Anderson, K.D., see Reiner, A. (624) 317
Andrews, T., Lincoln, J., Milner, P., Burnstock, G. and Cowen, T.
Differential regulation of tyrosine hydroxylase protein and activity in rabbit sympathetic neurones after long-term cold exposure: altered responses in ageing (624) 69
Angelucci, L., see Catalani, A. (624) 208
Aou, S., see Oka, T. (624) 61
Asari, S., see Date, I. (624) 233

Bartfai, T., see Gatti, S. (624) 291
Becker, D.P., see Fineman, I. (624) 94
Berridge, K.C., see Cromwell, H.C. (624) 1
Bilkey, D.K., see Yamada, N. (624) 336
Biswas, A., see Van Bockstaele, E.J. (624) 188
Bodnar, R.J., see Kiefel, J.M. (624) 151
Bodnar, R.J., see Rossi, G.C. (624) 171
Boelen, M.K., Dowton, M. and Morgan, I.G.
[Leu^5]Enkephalin-like immunoreactive amacrine cells are under nicotinic excitatory control during darkness in chicken retina (624) 137
Bradway, D.M., see Butera, P.C. (624) 354
Brown, D.A., see Trouslard, J. (624) 103
Burnstock, G., see Andrews, T. (624) 69
Burnstock, G., see Trouslard, J. (624) 103
Butera, P.C., Campbell, R.B. and Bradway, D.M.
Antagonism of estrogenic effects on feeding behavior by central implants of anisomycin (624) 354

Campbell, R.B., see Butera, P.C. (624) 354
Candeo, P., see Manev, H. (624) 331
Catalani, A., Marinelli, M., Scaccianoce, S., Nicolai, R., Muscolo, L.A.A., Porcu, A., Korányi, L., Piazza, P.V. and Angelucci, L.
Progeny of mothers drinking corticosterone during lactation has lower stress-induced corticosterone secretion and better cognitive performance (624) 208
Chiodo, L.A., see Shen, R.-Y. (624) 216
Cotman, C.W., see Korotzer, A.R. (624) 121
Cowen, T., see Andrews, T. (624) 69
Coyle, J.T., see Puttfarcken, P.S. (624) 223
Cromwell, H.C. and Berridge, K.C.
Where does damage lead to enhanced food aversion: the ventral pallidum/substantia innominata or lateral hypothalamus? (624) 1

Date, I., Yoshimoto, Y., Miyoshi, Y., Imaoka, T., Furuta, T., Asari, S. and Ohmoto, T.
The influence of donor age on cografting of adrenal medulla with pretransected peripheral nerve (624) 233
Davidson, K. and Gillies, G.E.
Neuronal vs. glial somatostatin in the hypothalamus: a cell culture study of the ontogenesis of cellular location, content and release (624) 75
De Jonge, F.H., see Kruijver, F.P.M. (624) 342
Dowton, M., see Boelen, M.K. (624) 137
Dreifuss, J.J., see Alberi, S. (624) 326
Dubois-Dauphin, M., see Alberi, S. (624) 326
Dyas, M., see Preston, J.E. (624) 181

Ebihara, H., Kawasaki, H., Nakamura, S., Takasaki, K. and Wada, A.
Pressor response to microinjection of clonidine into the hypothalamic paraventricular nucleus in conscious rats (624) 44
Eison, M.S., see Pierce, J.E.S. (624) 199
Emoto, H., see Yoshida, M. (624) 277
Emson, P.C., see Heppelmann, B. (624) 312
Endert, E., see Kruijver, F.P.M. (624) 342

Fadda, E., see Manev, H. (624) 331
Favaron, M., see Manev, H. (624) 331
Fineman, I., Hovda, D.A., Smith, M., Yoshino, A. and Becker, D.P.
Concussive brain injury is associated with a prolonged accumulation of calcium: a ^{45}Ca autoradiographic study (624) 94
Fridkin, M., see Wollman, Y. (624) 339
Furuta, T., see Date, I. (624) 233

Gatti, S. and Bartfai, T.
Induction of tumor necrosis factor-α mRNA in the brain after peripheral endotoxin treatment: comparison with interleukin-1 family and interleukin-6 (624) 291
Getz, R.L., see Puttfarcken, P.S. (624) 223
Gibbs, R.B., see Pfaus, J.G. (624) 253
Gillies, G.E., see Davidson, K. (624) 75
Goldstein, M.N., see Wollman, Y. (624) 339
Good, P.F., Huntley, G.W., Rogers, S.W., Heinemann, S.F. and Morrison, J.H.
Organization and quantitative analysis of kainate receptor subunit GluR5–7 immunoreactivity in monkey hippocampus (624) 347
Gozes, I., see Wollman, Y. (624) 339
Gulati, K., see Ray, A. (624) 286
Guyenet, P.G., see Stornetta, R.L. (624) 19

Harlan, R.E., see Huang, X. (624) 309
Heinemann, S.F., see Good, P.F. (624) 347
Henke, P.G., see Ray, A. (624) 286
Heppelmann, B. and Emson, P.C.
Distribution of calretinin mRNA in rat spinal cord and dorsal root ganglia: a study using non-radioactive in situ hybridization histochemistry (624) 312
Herrero, M.T., Hirsch, E.C., Javoy-Agid, F., Obeso, J.A. and Agid, Y.
Differential vulnerability to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine of dopaminergic and cholinergic neurons in the monkey mesopontine tegmentum (624) 281
Hirsch, E.C., see Herrero, M.T. (624) 281
Hori, T., see Oka, T. (624) 61
Hovda, D.A., see Fineman, I. (624) 94
Huang, X. and Harlan, R.E.
Absence of androgen receptors in LHRH immunoreactive neurons (624) 309
Huntley, G.W., see Good, P.F. (624) 347

Imaoka, T., see Date, I. (624) 233
Ishii, H., see Yoshida, M. (624) 277

Javoy-Agid, F., see Herrero, M.T. (624) 281
Jessen, K.R., see Trouslard, J. (624) 103
Johanson, C.E., see Preston, J.E. (624) 181

Kalehua, A.N., see Rowland, N.E. (624) 35
Kaneko, T., see Yezierski, R.P. (624) 304
Kawasaki, H., see Ebihara, H. (624) 44
Kiefel, J.M., Rossi, G.C. and Bodnar, R.J.
Medullary μ and δ opioid receptors modulate mesencephalic morphine analgesia in rats (624) 151
Kimitsuki, T. and Ohmori, H.
Dihydrostreptomycin modifies adaptation and blocks the mechano-electric transducer in chick cochlear hair cells (624) 143
Kleopoulos, S.P., see Pfaus, J.G. (624) 253
Kogure, K., see Zheng, J. (624) 299
Koibuchi, N., see Watanabe, K. (624) 115
Korányi, L., see Catalani, A. (624) 208
Korotzer, A.R., Pike, C.J. and Cotman, C.W.
β-Amyloid peptides induce degeneration of cultured rat microglia (624) 121
Kruijver, F.P.M., De Jonge, F.H., Van den Broek, W.T., Van der Woude, T., Endert, E. and Swaab, D.F.
Lesions of the suprachiasmatic nucleus do not disturb sexual orientation of the adult male rat (624) 342
Kurtz, H.J., see Velázquez, R.A. (624) 109

Lang, C.H., Molina, P.E., Yousef, K.A., Tepper, P.G. and Abumrad, N.N.
Role of IL-1α in central nervous system immunomodulation of glucoregulation (624) 53
Larson, A.A., see Velázquez, R.A. (624) 109
Li, B.-H., see Rowland, N.E. (624) 35
Lilling, G., see Wollman, Y. (624) 339

Lin, J.-Y., Mai, L.-M. and Pan, J.-T.
Effects of systemic administration of 6-hydroxydopamine, 6-hydroxydopa and 1-methyl-4-phenyl-1,2,3,6-tetrahydroxypyridine (MPTP) on tuberoinfundibular dopaminergic neurons in the rat (624) 126
Lincoln, J., see Andrews, T. (624) 69
Lipartiti, M., see Manev, H. (624) 331
Lönnberg, P., see Rinne, J.O. (624) 131

Mai, L.-M., see Lin, J.-Y. (624) 126
Manev, H., Favaron, M., Candeo, P., Fadda, E., Lipartiti, M. and Milani, D.
Macrolide antibiotics protect neurons in culture against the *N*-methyl-D-aspartate (NMDA) receptor-mediated toxicity of glutamate (624) 331
Marinelli, M., see Catalani, A. (624) 208
Marjamäki, P., see Rinne, J.O. (624) 131
McDonald, J.W. and Schoepp, D.D.
Aminooxyacetic acid produces excitotoxic brain injury in neonatal rats (624) 239
McGregor, A. and Roberts, D.C.S.
Dopaminergic antagonism within the nucleus accumbens or the amygdala produces differential effects on intravenous cocaine self-administration under fixed and progressive ratio schedules of reinforcement (624) 245
McIntosh, T.K., see Pierce, J.E.S. (624) 199
McIntyre, D.C. and Plant, J.R.
Long-lasting changes in the origin of spontaneous discharges from amygdala-kindled rats: piriform vs. perirhinal cortex in vitro (624) 268
McMahon, T., see Roivainen, R. (624) 85
Messing, R.O., see Roivainen, R. (624) 85
Meyer, E.M., see Sjak-Shie, N.N. (624) 295
Milani, D., see Manev, H. (624) 331
Miller, K.E., see Yezierski, R.P. (624) 304
Milner, P., see Andrews, T. (624) 69
Mirsky, R., see Trouslard, J. (624) 103
Mitchell, C.L., see Xu, H. (624) 162
Miyoshi, Y., see Date, I. (624) 233
Mizoguchi, K., see Yoshida, M. (624) 277
Mobbs, C.V., see Pfaus, J.G. (624) 253
Molina, P.E., see Lang, C.H. (624) 53
Morgan, I.G., see Boelen, M.K. (624) 137
Morrison, J.H., see Good, P.F. (624) 347
Muscolo, L.A.A., see Catalani, A. (624) 208

Nakamura, S., see Ebihara, H. (624) 44
Nicolai, R., see Catalani, A. (624) 208
Norton, F.E., see Stornetta, R.L. (624) 19

Obeso, J.A., see Herrero, M.T. (624) 281
Ohmori, H., see Kimitsuki, T. (624) 143
Ohmoto, T., see Date, I. (624) 233
Ohtake, H., see Watanabe, K. (624) 115
Oka, T., Aou, S. and Hori, T.
Intracerebroventricular injection of interleukin-1β induces hyperalgesia in rats (624) 61
Onodera, H., see Zheng, J. (624) 299

Pan, J.-T., see Lin, J.-Y. (624) 126
Pasternak, G.W., see Rossi, G.C. (624) 171
Peter, R.E., see Trudeau, V.L. (624) 29
Pfaff, D.W., see Pfaus, J.G. (624) 253
Pfaus, J.G., Kleopoulos, S.P., Mobbs, C.V., Gibbs, R.B. and Pfaff, D.W.
Sexual stimulation activates c-*fos* within estrogen-concentrating regions of the female rat forebrain (624) 253
Piazza, P.V., see Catalani, A. (624) 208
Pickel, V.M., see Van Bockstaele, E.J. (624) 188
Pierce, J.E.S., Smith, D.H., Eison, M.S. and McIntosh, T.K.
The nootropic compound BMY-21502 improves spatial learning ability in brain injured rats (624) 199
Pike, C.J., see Korotzer, A.R. (624) 121
Plant, J.R., see McIntyre, D.C. (624) 268
Porcu, A., see Catalani, A. (624) 208
Preston, J.E., Dyas, M. and Johanson, C.E.
Development of chloride transport by the rat choroid plexus, in vitro (624) 181
Puttfarcken, P.S., Getz, R.L. and Coyle, J.T.
Kainic acid-induced lipid peroxidation: protection with butylated hydroxytoluene and U78517F in primary cultures of cerebellar granule cells (624) 223

Racine, R.J., see Teskey, G.C. (624) 11
Raggenbass, M., see Alberi, S. (624) 326
Ray, A., Henke, P.G., Gulati, K. and Sen, P.
The amygdaloid complex, corticotropin releasing factor and stress-induced gastric ulcerogenesis in rats (624) 286
Reiner, A. and Anderson, K.D.
Co-occurrence of γ-aminobutyric acid, parvalbumin and the neurotensin-related neuropeptide LANT6 in pallidal, nigral and striatal neurons in pigeons and monkeys (624) 317
Rinne, J.O., Lönnberg, P. and Marjamäki, P.
Human brain methionine- and leucine-enkephalins and their receptors during ageing (624) 131
Roberts, D.C.S., see McGregor, A. (624) 245
Rogers, S.W., see Good, P.F. (624) 347
Roivainen, R., McMahon, T. and Messing, R.O.
Protein kinase C isozymes that mediate enhancement of neurite outgrowth by ethanol and phorbol esters in PC12 cells (624) 85
Rossi, G.C., Pasternak, G.W. and Bodnar, R.J.
Synergistic brainstem interactions for morphine analgesia (624) 171
Rossi, G.C., see Kiefel, J.M. (624) 151
Rowland, N.E., Kalehua, A.N., Li, B.-H., Semple-Rowland, S.L. and Streit, W.J.
Loss of serotonin uptake sites and immunoreactivity in rat cortex after dexfenfluramine occur without parallel glial cell reactions (624) 35

Scaccianoce, S., see Catalani, A. (624) 208
Schoepp, D.D., see McDonald, J.W. (624) 239
Semple-Rowland, S.L., see Rowland, N.E. (624) 35
Sen, P., see Ray, A. (624) 286
Shen, R.-Y. and Chiodo, L.A.
The effects of in utero ethanol administration on the electrophysiological activity of rat nigrostriatal dopaminergic neurons (624) 216
Sjak-Shie, N.N. and Meyer, E.M.
Effects of chronic nicotine and pilocarpine administration on neocortical neuronal density and [^{3}H]GABA uptake in nucleus basalis lesioned rats (624) 295
Sloley, B.D., see Trudeau, V.L. (624) 29
Smith, D.H., see Pierce, J.E.S. (624) 199
Smith, M., see Fineman, I. (624) 94
Stornetta, R.L., Norton, F.E. and Guyenet, P.G.
Autonomic areas of rat brain exhibit increased Fos-like immunoreactivity during opiate withdrawal in rats (624) 19
Streit, W.J., see Rowland, N.E. (624) 35
Sun, X., see Velázquez, R.A. (624) 109
Swaab, D.F., see Kruijver, F.P.M. (624) 342

Takasaki, K., see Ebihara, H. (624) 44
Tanaka, M., see Yoshida, M. (624) 277
Tanaka, T., see Yoshida, M. (624) 277
Tepper, P.G., see Lang, C.H. (624) 53
Teskey, G.C. and Racine, R.J.
Increased spontaneous unit discharge rates following electrical kindling in the rat (624) 11
Trouslard, J., Mirsky, R., Jessen, K.R., Burnstock, G. and Brown, D.A.
Intracellular calcium changes associated with cholinergic nicotinic receptor activation in cultured myenteric plexus neurones (624) 103
Trudeau, V.L., Sloley, B.D. and Peter, R.E.
Norepinephrine turnover in the goldfish brain is modulated by sex steroids and GABA (624) 29

Van Bockstaele, E.J., Biswas, A. and Pickel, V.M.
Topography of serotonin neurons in the dorsal raphe nucleus that send axon collaterals to the rat prefrontal cortex and nucleus accumbens (624) 188
Van den Broek, W.T., see Kruijver, F.P.M. (624) 342
Van der Woude, T., see Kruijver, F.P.M. (624) 342
Velázquez, R.A., Sun, X., Kurtz, H.J. and Larson, A.A.
Possible role of the N-terminus of substance P in kainic acid-induced toxicity in rats (624) 109

Wada, A., see Ebihara, H. (624) 44
Watanabe, K., Koibuchi, N., Ohtake, H. and Yamaoka, S.
Circadian rhythms of vasopressin release in primary cultures of rat suprachiasmatic nucleus (624) 115
Wollman, Y., Lilling, G., Goldstein, M.N., Fridkin, M. and Gozes, I.
Vasoactive intestinal peptide: a growth promotor in neuroblastoma cells (624) 339

Xu, H. and Mitchell, C.L.
Chelation of zinc by diethyldithiocarbamate facilitates bursting induced by mixed antidromic plus orthodromic activation of mossy fibers in hippocampal slices (624) 162

Yamada, N. and Bilkey, D.K.
Induction of trypsin-induced hyperexcitability in the rat hippocampal slice is blocked by the *N*-methyl-D-aspartate receptor antagonist, MK-801 (624) 336

Yamaoka, S., see Watanabe, K. (624) 115
Yezierski, R.P., Kaneko, T. and Miller, K.E.
Glutaminase-like immunoreactivity in rat spinomesencephalic tract cells (624) 304
Yokoo, H., see Yoshida, M. (624) 277
Yoshida, M., Yokoo, H., Tanaka, T., Mizoguchi, K., Emoto, H., Ishii, H. and Tanaka, M.
Facilitatory modulation of mesolimbic dopamine neuronal activity by a μ-opioid agonist and nicotine as examined with in vivo microdialysis (624) 277

Yoshimoto, Y., see Date, I. (624) 233
Yoshino, A., see Fineman, I. (624) 94
Yousef, K.A., see Lang, C.H. (624) 53

Zheng, J., Onodera, H. and Kogure, K.
Fetal hippocampal transplants reduce aberrant mossy fiber sprouting after CA3 pyramidal cell damage (624) 299

Induction of trypsin-induced hyperexcitability in the rat hippocampal slice is blocked by the *N*-methyl-D-aspartate receptor antagonist, MK-801
N. Yamada and D.K. Bilkey (New Zealand) 336

Vasoactive intestinal peptide: a growth promotor in neuroblastoma cells
Y. Wollman, G. Lilling, M.N. Goldstein, M. Fridkin and I. Gozes (Israel, USA) 339

Lesions of the suprachiasmatic nucleus do not disturb sexual orientation of the adult male rat
F.P.M. Kruijver, F.H. De Jonge, W.T. Van den Broek, T. Van der Woude, E. Endert and D.F. Swaab (Netherlands) 342

Organization and quantitative analysis of kainate receptor subunit GluR5–7 immunoreactivity in monkey hippocampus
P.F. Good, G.W. Huntley, S.W. Rogers, S.F. Heinemann and J.H. Morrison (USA) 347

Antagonism of estrogenic effects on feeding behavior by central implants of anisomycin
P.C. Butera, R.B. Campbell and D.M. Bradway (USA) 354

Author Index 357